

Sink Tops



CODE	SIZE	BOWL SIZE
CA1060L/R	1000 X 600mm	400 X 400 X 250mm
CA1260L/R	1200 X 600mm	400 X 400 X 250mm
CA1265L/R	1200 X 650mm	610 X 460 X 300mm
CA1270L/R	1200 X 700mm	500 X 500 X 300mm
CA1470L/R	1400 X 700mm	500 X 500 X 300mm
CA1670SBDD	1600 X 700mm	500 X 500 X 300mm
CA1560DB	1500 X 600mm	500 X 400 X 300mm+400 x 400 x 250mm
CA1660DB	1600 X 600mm	500 X 400 X 250mm+500 x 400 x 250mm
CA1865DB	1800 X 650mm	610 X 460 X 300mm+610 x 460 x 300mm
CA1060DB	1800 X 700mm	500 X 500 X 300mm+500 x 500 x 300mm
CA1970DBDD	1900 X 700mm	500 X 500 X 300mm+500 x 500 x 300mm
CA2465DBDD	2400 X 650mm	610 X 460 X 300mm+610 x 460 x 300mm

Sink Bowls

Weld in sink Bowl

Code	Bowl Size
M60450300	600x450x300mm
M50400300	500x400x300mm
M50400250	500x400x250mm
M50400200	500x400x200mm
M40400250	400x400x250mm
M40440200	400x400x200mm
M40340180	400x340x180mm
M340300180	340x300x180mm
C25535L/R	760x510x380mm
W2WELD	12" ROUND WELD IN
W1WELD	9" ROUND WELD IN

Inset Bowls

D20146N	9" Round inset bowl
D20140N	12" Round inset bowl
D20142N	15" Round inset bowl
D20144N	17" Round inset bowl
C20120N	380x300x180mm
C20132N	400x400x250mm
C20136N	610x460x300mm





Bucket Sink

Code	Description
WB440CP	440 x 310 x195mm complete complete with splashback.
G21663N	500x517x780mm complete with 2 legs and splashback.
BUCKET01	500X600X600mm complete with 4 legs and wall anchor.



Janatorial Unit

Code	Description
G20050N	570 x 880mm floor standing unit 4 legs complete with wash hand basin on top 360 x 272 x 135mm.
JAN01	500 X 700 X 600mm floor standing unit complete with wash hand basin 330x500x170mm.



Leg Basin

Code	Description
8500.00	340x340x200mm complete complete with mixer valve. knee valve spout and outlet.
8507.00	430x375x580mm complete with splashback and mixer valve spout and outlet.
LEG01	340x340x200 no mixer valve.



Sluice sink

Code	Description
G22027	1600x600x300 this flushable Sink can be used as a hospital disposal unit. It is made from 304 stainless steel it has many extras.
B4052	110mm stainless P trap
B4059	110mm stainless S trap
G20605N	stainless steel cistern
B4215	stainless downpipe
G26524	stainless front leg support

Basin taps available in lever either as shown or with high neck.



Mixer taps 7" centers available in lever swivel spout.



Double hole deck mounted pre-rinse unit with 7" to 8" center's including wall bracket.



Single hole deck mounted pre-rinse unit with including wall bracket.



Wall mounted bib tap's



Mono block mixer tap's available in lever or twist turn.



Single lever mono block tap.



Push down non concussive taps



Drinking Fountin
Wall hung including bubbler tap

Code:W1DF



Wash hand basin wall hung
457x357mm with apron support

Code:: D20163N



Wash hand basin wall hung Model A
305x270mm complete with apron support.

Code:: D20161N



Wash hand basin wall hung model B
385x330mm complete with apron support

Code:: D20162N



Stand pipe waste fittings with perforated strainer.

They come in 250mm
300mm

Code: Euro10

Code: Euro12



Waste fitting with overflow.

1 1/4"

1 1/2"

Code: F2117

Code: F2119



Waste fitting no overflow.

1 1/4"

1 1/2"

Code: F2118

Code: F2119N0



Waste adaptor

1 1/4"

1 1/2"

Code: MC14A/F

Code: MC12A/F



Urinal Spreader back inlet slab & trough use - slotted outlet Chrome Plated finish.

Code: 205941/1



Urinal waste domed hinged. 1 1/2"
2"
2 1/2"

Code: 2022004

Code: 20321002

Code: 20421002



Knee Valve Assembly, colour-coded single pedal, self closing valves, for use with spout bases. Rough chrome valve body with polished chrome foot pedal.

Code: K25-4000



Push button timed valve (shower valve) chrome plated.

Code: KNEEVALVE



Repair kit for for pre-rinse spray head (gun).

Code: K50-0200



Repair kit for pre-rinse spray head (gun).

Code: 205941/1



Encore® NSF Pre-Rinse Hose Assembly, stainless steel casing over nylon reinforced rubber core.

Code: K50-Y004-44



Stainless steel 1/2" nipple male to male

Code: NIP12



Piano Hinge



CODE	SIZE	material	thickness	length
M48-0112	3/4"	stainless steel	0.8mm	6ft
M48-0121	1 1/16"	stainless steel	1 mm	6ft
M48-0132	1 1/2"	stainless steel	1 mm	6ft
M48-0134	1 1/2"	stainless steel	1.5 mm	6ft
M48-0144	2"	stainless steel	1.5 mm	6ft
M48-0154	2 1/2"	stainless steel	1.5 mm	6ft
M48-0164	3"	stainless steel	1.5 mm	6ft
M48-0174	4"	stainless steel	1.5 mm	6ft

1 1/2", 2" and 2.5" also available in mild steel.

Weld on Butt Hinges

A.M74-2078	2" x 2" open butt hinge stainless steel 2mm thick
B.M74-3078	3" x 3" open butt hinge stainless steel 2mm thick
C.M74-4079	4" x 4" open butt hinge stainless steel 3mm thick
D.BALE040303	4" x 3" butt with ball bearings and holes 3mm thick




- A. M75-1002 flag hinge 50mm
- B. M75-5003 flag hinge 75mm
- C. GUDWELD2 50mm weld on hinge
- D. GUDWELD4 75mm weld on hinge




- A. P50-1010M chrome pull handle 4" centres
- B. P44-1010M Aluminium pull handle 4" centres
- C. P46-1010 Stainless steel handle 5" centres
- D. BALE1028 Stainless steel 8mm round pull handle 5" centres




- A. P63-1012 flush pull drawer handle with studs
- B. P60-1010 round flush 120mm diameter
- C. P62-1010 flush pull handle sliding door
- D. P73-1000 recessed door handle snap-in 127mm long



- A. P68-1010 drop down handle s/s heavy duty 101mm
- B. P70-1010 drop down handle s/s 86mm
- C. M37-1105 T type handle locking
- D. M37-1107 L type locking handle



- A. P90-1000 s/s paddle latch 55mm
- B. P90-2000 s/s paddle latch 84mm locking or non-locking
- C. P90-5000 s/s paddle latch 124mm locking or non-locking
- D. P80-3030 25mm chrome plated knob



- A. M12-9293 spring latch / hinge 35mm
- B. M12-9295 spring latch / hinge 70mm
- C. M12-9296 spring latch / hinge 85mm
- D. M12-9297 spring latch / hinge 100mm



- A. M22-2420 ball catch 60mm long adjustable tension
- B. M22-2430 ball catch heavy duty 76mm long
- C. M10-8332 toggle latch s/s 57mm
- D. M10-8333 toggle latch heavy duty s/s 86mm long



- A. M30-5920 magnetic catch 20 lb pull
- B. M30-2401 magnetic catch 30 lb pull
- C. M36-0201 snap in magnetic catch single
- D. M36-0611 round snap in magnetic catch



- A. P30-4760 s/s face keyed alike utility lock 22mm
- B. P30-4780 s/s face keyed alike utility lock 35mm
- C. P20-0490 plunger lock for by passing doors
- D. P10-0370 drawer lock



Drawer Slides Zinc Plated



Code	Description
S350012	12" drawer slide zinc plated
S350014	14" drawer slide zinc plated
S350016	16" drawer slide zinc plated
S350018	18" drawer slide zinc plated
S350020	20" drawer slide zinc plated
S350022	22" drawer slide zinc plated

Drawer Slides Stainless Steel



Code	Description
S250018	18" stainless drawer slides
S250020	20" stainless drawer slides two piece
S260018	18" stainless drawer slides
S260020	20" stainless drawer slides ball bearing separate mounting

Stainless Under Counter Drawer Sliding Door Track and Sheaves



P63-100	under counter stainless steel drawer including removable gastronorm container 355mmx530mmx120mm.
P63-150	under counter stainless steel drawer including removable gastronorm container 355mmx530mmx170mm.



Code	Description
B57-0060	5FT length of door track 1500
B57-0120	10FT length of door track 3000
B58-5511	front door sheave offset
B58-5521	rear door sheave straight

- A. CAS005 4" nylon plate castors
- B. CAS006 4" nylon plate castors braked
- C. CAS007 4" nylon plate castors for 30mm box
- D. CAS008 4" nylon plate castors for 30mm box braked



- A. CAS001 4" plate castors grey rubber
- B. CAS002 4" plate castors grey rubber braked
- C. CAS003 4" grey rubber castor for 30mm box
- D. CAS004 4" grey rubber castor for 30mm box braked



- A. IN025H 25mm adjustable foot square insert
- B. IN030H 30mm adjustable foot square insert
- C. IN040H 40mm adjustable foot square insert
- D. IN050H 50mm adjustable foot square insert



- A. IN030F 30mm adjustable foot flanged
- B. IN040F 40mm adjustable foot flanged
- C. FAJ030 30mm adjustable black plastic
- D. INP040H 40mm adjustable foot grey plastic



- A. J16-0100 25mm stainless steel end cap
- B. J16-0201 25mm chrome end cap round
- C. J86-4300 22mm finger ring
- D. J86-4301 25mm finger ring



- A. END025S 25mm black end cap square
- B. END025R 25mm black end cap round
- C. END030S 30mm black end cap square
- D. END040S 40mm black end cap square



- A. J19-4960 three bar tray rail bracket
- B. J19-4955 drop down three bar tray rail bracket



- A. J17-4273 drop down tray rail bracket
- B. J19-4967 tray rail bracket stainless steel



PVC WALL CLADDING

We are pleased to announce our new product line of PVC Hygienic White Cladding for commercial kitchens, bakeries, food storage, butchers or any commercial food preparation area.

Plastic Wall Cladding can be applied to the inside walls of a commercial kitchen, shower rooms, bathroom, public toilets etc and is often used in homes and offices.



All of our PVC Hygienic products comply with all current food and fire regulations and contain absolutely no harmful ingredients.

Catering PVC Panel Sheet white are available in size:

2440 x 1220 x 2.5mm

2440 x 1220 x 2.0mm

Catering PVC Wall Cladding products are the highest quality and the best value for money within Ireland.

Adhesives and Silicone available


H section is used to easily join sheets together it has an antimicrobial gasket seal which effectively eliminates 99.9% of bacteria's.

Available in 2.44m/3.05m Lengths




J section is used as an edging particularly at the base of a sheet. We often fix this profile 100mm from the floor to allow vinyl floor to be coved under it.

Available in 2.44m/3.05m Lengths.



A small coved corner is used to provide an easy clean finish to inside corners and for example can be used at the base of shower trays to facilitate the flow of water.

Available in 2.44m/3.05m Lengths



The F profile angle is used to cover external corners; one side has a groove that slides onto the sheet the other side of the angle covers the sheet.

Available in 2.44m/3.05m Lengths.



Gas Springs and Dampers

Whether you want to lift, lower, or dampen, Gas Springs and Dampers will provide the controlled motion you need. Gas Springs are excellent for assisting in lifting lids, covers, doors and hatches, keeping them open, and reducing the speed at which they close.



Scrap Chutes



- A. stainless steel scrap chute with a 6" opening
- B. Grey rubber scrap with a 5 3/4" opening
- C. Black rubber scrap chute with a 8" opening


CUP DISPENSERS

C3200CH 6 to 12oz stainless steel cup dispenser

Horizontal Deck mounted cut out size 110mm

C3400CH 12 to 24oz stainless steel cup dispenser

Horizontal Deck mounted cut out size 120mm



GLASS CAPPING AND JOINING STRIP



- A. J64-1450 8ft Joining strip for stainless steel
- B. J63-1451 8ft End strip for stainless steel
- C. B70-1001-6 6Ft Glass capping 6mm stainless steel
- D. J65-4110 12ft T Section stainless steel

Refrigeration doors and drawers

Made in AISI-304 stainless steel throughout

**Insulation in polyurethane foam,
density 40/45 m3**


**Seals in EPDM to interrupt the thermal bridge
CFC-free**

**Seals in santoprene (MONSANTO) for
maintaining hot/cold**

**Closure fitting made in ZYTEL for total
efficiency and durable ruggedness**



CODE	SIZE	Type
3000/10	440H x 590W	Refrigerated door
3000	440W x 590H	Refrigerated door
3002	440W x 440H	Refrigerated door
3004	440W x 380H	Refrigerated door
3004/2	870W x 380H	Refrigerated door
3002/2	870W x 440H	Refrigerated door
3020A	440W x 590H	Triple drawer unit
3024	440W x 590H	Double drawer unit



Gastronorm Containers



For enhanced durability, BOURGEAT have developed and patented a new pressing to strengthen the angles of gastronorm containers giving added protection against accidental damage.

Stainless-steel : the most versatile of all material From storage of foodstuffs, through cooking to handling, transport, holding and presentation, stainless-steel provides the universal solution.



Racking Trolleys

1/1 size	code	levels	size
	775710	10	460x630x1700
	775715	15	460x630x1700
	775720	20	460x630x1700
600x400 size	code	levels	size
	773715	15	540x700x1700
	773720	20	540x700x1700
2/1 size	code	levels	size
	774710	10	660x750x1700
	774715	15	660x750x1700
	774720	20	660x750x1700


Clearing Trolleys



2 tier	code	size
small	778006	840x550x960
medium	778106	940x600x960
large	778206	1120x710x960

3 tier	code	size
small	778406	840x550x960
medium	778506	940x600x960
large	778606	1120x710x960

Cash & Coffee Drawers



Coffee drawer	code	size
Drawer type	3074	345x130x405
Hopper type	3075	345x277

Cash drawer	code	size
Locking	3073lock	345x130x405
Non locking	3073	345x130x405

Rubbish Bin



QRUB01 Stainless steel rubbish bin
465mm diameter
670mm high
pedal operation durable.

Stainless Steel Baffle Filter's




CA2020 490x490x45mm baffle filter
F502010 495x245x45mm baffle filter
F502016 495x395x45mm baffle filter
F501616 395x395x45mm baffle filter

- A. R24-9175 straight handle no lock
- B. R24-9175-C straight handle locking
- C. R24-9175-XC offset handle locking



R42-2842 Edgemount hinges 28mm offset
chrome plated non rise universal
mounting brackets



R42-2800 Can be used with the edgemount
hinges above to convert into a self
closing hinge.




T42-3330 Grey PVC compression gasket easy
to clean grease resistant durable
sold per metre.




GFK-6449-C Corner magnetic fridge gasket 305mmx457mm
GFK-6449-S Straight magnetic fridge gasket 915mm



T12-0372 160 Watt 120ml evaporator rate/hr
T12-5200 300 Watt 210ml evaporator rate/hr



T22-1072 6ft length of pilaster strip for adjustable shelf
T30-5030 Stainless steel pilaster clip




Q77-1000 Heat transfer compound 305ml tube



Bain-Marie elements

U shaped elements work either in wet or dry situations.

*** they come with either a straight end or with a 90 degree bend.



Code	Size		watt
	A	B	
Elm86	200mm	150mm	550w
Elm179	430mm	225mm	750w
Elm20	500mm	430mm	1500w
Elm30	756mm	430mm	2000w
Elm40	1008mm	430mm	2000w
Elm50	1260mm	430mm	2500w
Elm60	1512mm	430mm	3000w

Bain-Marie thermostat

Temperature range 30-110 °C thermostat

Code: 30/110



Indicator light

Snap in indicator light for use with above stat.

Code: ATHIND



Copper coloured shades for overhead gantry.
Assembled to fix.

Code: 5931



Halogen reflector

Code:HALREF

Halogen Bulb 300w

Code:HALBUL

Halogen ceramic holder

Code:HALHOL

All three items

Code:HALCOM



Halogen bulb 300w double jacketed suitable for use with
Food.

Code:HALDOU



Canopy hood light base mounted. Thermal and shock
resistant glass globe is ideal for commercial kitchens.
Greaseproof, waterproof, heatproof. 48" long

Code:L55-1024



Recessed canopy hood light Tempered, prismatic glass
diffuser. Low profile for limited overhead clearance.
Satin finished stainless steel faceplate to match hood
interior.

Code:L82-1040



Flexible light for carvery unit. Bolt on comes in
Chrome or gold colour.



1/1 stainless steel bain marie up to a max dept of
150mm. Control panel has a indicator light and adjustable
Tempeture from 0 to 110 ° C

Code: 867101



Soup kettle 8 litre.

Soup kettles are ideal for soup as well as foods such as
chilli, curry, hot dogs and even mulled wine.

Code: 871008

